SAFETY DATA SHEET

Date Prepared: 3/29/2015

SDS No: Interline_Alkaline Drain Opener

Alkaline Drain Opener

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Alkaline Drain Opener

GENERAL USE: Clear and maintain all sink drains. **PRODUCT DESCRIPTION:** Non Acid Drain Opener **PRODUCT CODE:** REN02732-MS Alkaline Drain Opener

CHEMICAL FAMILY: Alkali/detergent blend

DISTRIBUTOR

Interline Brands, Inc. 701 San Marco Blvd. Jacksonville, FL 32207

Customer Service: 866-412-6726

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEM-TREC (Medical and Transportation): 800-424-9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Skin Corrosion, Category 1B Eye Corrosion, Category 1 Acute Toxicity (Oral), Category 4

Physical:

Corrosive to Metals, Category 1

GHS LABEL



Corrosion



Exclamation mark

SIGNAL WORD: DANGER HAZARD STATEMENTS

H314: Causes severe skin burns and eye damage.

H302: Harmful if swallowed.

H290: May be corrosive to metals.

PRECAUTIONARY STATEMENT(S)

Prevention:

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P260: Do not breathe mist/vapours/spray.

P270: Do no eat, drink or smoke when using this product.

P264: Wash thoroughly after handling.

P102: Keep out of reach of children.

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

Page 1 of 6



PO Box 2317 Jacksonville FL 32203-9956 SDS Communication for your recent order



231 1 MB 0.423 E0229X 10847 D2831240225 S2 P4635481 0001:0004

լկուիկոկվիկիկիկոլիկիայիուկիկիկիկիկի



GEORGETOWN CNTY BD OF ED ATTN ASHLEY SMITH 400 S KAMINSKI ST GEORGETOWN SC 29440-3433

09/14/17

Enclosed, please find Safety Data Sheets for your recent orders: 9659468 You can find a complete library of more than 11,000 data sheets at our web site Trayco.com If you have any questions, please contact Customer Service at 800-749-1120

178228 00000



P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P310: Immediately call a POISON CENTER or doctor/physician.

Storage:

P405: Store locked up.

Disposal:

P501: Dispose of contents/container in accordance with local, state and federal regulations.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Blue opaque liquid

IMMEDIATE CONCERNS: Causes irreversible eye damage and skin burns.

POTENTIAL HEALTH EFFECTS

EYES: Corrosive, contact causes severe eye burns.

SKIN: Contact causes severe skin irritation and possible burns.

SKIN ABSORPTION: Harmful if absorbed through skin.

INGESTION: Harmful if swallowed.

REPRODUCTIVE TOXICITY

TERATOGENIC EFFECTS: None known.

CARCINOGENICITY: None known. **MUTAGENICITY:** None known.

ROUTES OF ENTRY: Eye, skin, ingestion.

CANCER STATEMENT: NA = Not Applicable

WARNING CAUTION LABELS: Corrosive

PHYSICAL HAZARDS: None Expected.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Sodium Hydroxide	10 - 15	1310-73-2
Sodium Hypochlorite	< 1	7681-52-9
Water	85 - 9	7732-18-5

4. FIRST AID MEASURES

EYES: Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

SKIN: Remove contaminated clothing. Immediately flush with water followed by washing with mild soap. Seek medical attention.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Severe burning sensation, damage marked by burns.

SKIN: Burning sensation, redness, swelling and possible blistering.

SKIN ABSORPTION: None Expected.

INGESTION: Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing. **ACUTE TOXICITY:** Corrosive to eyes. Causes moderate to severe skin irritation. Harmful if swallowed.

NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: None

EXTINGUISHING MEDIA: Not required.

EXPLOSION HAZARDS: None

HAZARDOUS DECOMPOSITION PRODUCTS: None Expected.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

LARGE SPILL: Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid discharges into open waterways.

LAND SPILL: Avoid discharge to soil. **AIR SPILL:** NA = Not Applicable

GENERAL PROCEDURES: Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

RELEASE NOTES: Product is harmful to aquatic life.

SPECIAL PROTECTIVE EQUIPMENT: Eye protection, rubber gloves, rubber boots to protect feet.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Do not contaminate water, food, or feed by storage or disposal.

HANDLING: Wear chemical resistant rubber or neoprene gloves and eye safety goggles/full face shield when handling.

STORAGE: Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store product away from food and water sources. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

STORAGE TEMPERATURE: Store at ambient temperatures.

STORAGE PRESSURE: Store at ambient atmospheric pressure.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

		DMPONENTS (29 CFR1910.1200) EXPOSURE LIMITS			unu en 5 Milhit		
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name	(1974年) 計劃	ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
Sodium Hydroxide	TWA		2 mg/m3		2 mg/m3		
Sodium Hypochlorite	TWA		2 mg/m3		2 mg/m3		
	STEL						2 mg/m3

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Chemical splash goggles.

SKIN: Rubber or other chemical resistant gloves.

RESPIRATORY: A respirator is not needed under normal and intended conditions of product use.

WORK HYGIENIC PRACTICES: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

Page 3 of 6



ODOR: Characteristic.

ODOR THRESHOLD: Not Established

COLOR: Water Clear

pH: > 13.5

PERCENT VOLATILE: >80

FLASH POINT AND METHOD: None

FLAMMABLE LIMITS: N/A

AUTOIGNITION TEMPERATURE: NA = Not Applicable

VAPOR PRESSURE: 20 mm Hg at (68°F)

VAPOR DENSITY: > 1 Air = 1 BOILING POINT: 212° F; 100° C FREEZING POINT: 32° F; 0° C

THERMAL DECOMPOSITION: Not Available

SOLUBILITY IN WATER: Complete **EVAPORATION RATE:** (Water =1) 1.0

DENSITY: 9.13 at (20°F)

SPECIFIC GRAVITY: 1.094 grams/ml. at (20°F)

VISCOSITY: Water thin.

(VOC): None

10. STABILITY AND REACTIVITY

REACTIVITY: Yes

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Reacts violently with strong acids.

 $\textbf{HAZARDOUS DECOMPOSITION PRODUCTS:} \ Under \ normal\ conditions\ of\ storage\ and\ use,\ hazardous\ decomposition\ products$

should not be produced.

INCOMPATIBLE MATERIALS: Strong acids, oxidizers.

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name 1992 9 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ORAL LD ₅₀ (rai)	DERMAL LD ₅₀ (rabbit)
Sodium Hydroxide	300 to 500 mg/kg (rat)	> 2000 mg/kg (rabbit)
Sodium Hypochlorite	3000 to 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)

EYES: Not Established

DERMAL LD₅₀: Not Established **ORAL LD**₅₀: Not Established

EYE EFFECTS: Corrosive to eyes. Permanent damage may occur.

SKIN EFFECTS: Corrosive to skin.

CARCINOGENICITY

IARC: Not Established
CORROSIVITY: Corrosive

GENETIC EFFECTS: No known significant effects or critical hazards.

Page 4 of 6

REPRODUCTIVE EFFECTS: No known significant effects or critical hazards.

TARGET ORGANS: No known significant effects or critical hazards.

TERATOGENIC EFFECTS: No known significant effects or critical hazards.

MUTAGENICITY: No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Established

ECOTOXICOLOGICAL INFORMATION: This material may be toxic to aquatic life.

AQUATIC TOXICITY (ACUTE): Not Established
CHEMICAL FATE INFORMATION: Not Established

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. If discarded, this material and its containers should be treated as hazardous waste based on the characteristics of corrosivity as defined under federal RCRA regulations (40 CFR 261). Consult local authorities for disposal into public sewer.

FOR LARGE SPILLS: Consult with local and state authorities for large volume disposal.

EMPTY CONTAINER: Rinse container with clear water. Offer container for recycling, or dispose of in trash.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Compound, Cleaning Liquid

TECHNICAL NAME: Sodium Hydroxide Solution

PRIMARY HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: 1760
PACKING GROUP: III
PLACARDS: Corrosive

LABEL: Certain package sizes determine the proper labeling of containers. Consult manufacturer for specific information regarding proper labeling.

OTHER SHIPPING INFORMATION: Certain shipping modes and packaging sizes may have exceptions from the transport regulations. The classifications/information provided above may not reflect applicable exceptions. Contact the manufacturer for more specific information on the proper shipping of this material.

U.S. CUSTOMS HARMONIZATION NUMBER: 3808.94.0000

AIR (ICAO/IATA)

SHIPPING NAME: Contact manufacturer for more information.

VESSEL (IMO/IMDG)

SHIPPING NAME: Contact manufacturer for more information.

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION





Page 5 of 6



SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Health - Acute

FIRE: No PRESSURE GENERATING: No REACTIVITY: Yes ACUTE: Yes CHRONIC: No

313 REPORTABLE INGREDIENTS: No listed substance

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: No listed substance

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt.%	CERCLA RQ
Sodium Hydroxide	10 - 15	1,000 lbs.
Sodium Hypochlorite	< 1	100 lbs.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Chemical Inventory.

STATES WITH SPECIAL REQUIREMENTS

Chemical Name	Requirements
Sodium Hydroxide	Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance Rhode Island Right to Know Substance
Sodium Hypochlorite	Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance Rhode Island Right to Know Substance

CALIFORNIA PROPOSITION 65: No listed substance

CARCINOGEN: NA = Not Applicable


FIFRA (FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT): NA = Not Applicable

16. OTHER INFORMATION

PREPARED BY: Regulatory Affairs Dept.

Date Prepared: 3/29/2015

HMIS RATING





MANUFACTURER DISCLAIMER: This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.